

Bibliography of *Callosobruchus* Research in Ecology and Evolution

Supported by NSF DUE-0535903

Compiled by Christopher Beck, Emory University
Last Updated: 20 November 2008

Future updates will be available at: www.beanbeetles.org

- Applebaum, S. W., B. J. Southgate, and H. Podoler. 1968. Comparative morphology specific status and host compatibility of 2 geographical strains of *Callosobruchus chinensis* L (Coleoptera Bruchidae). *Journal of Stored Products Research* 4:135-156. [\[Abstract\]](#)
- Appleby, J. H., and P. F. Credland. 2007. The role of temperature and larval crowding in morph determination in a tropical beetle, *Callosobruchus subinnotatus*. *Journal of Insect Physiology* 53:983-993. [\[Abstract\]](#)
- Arnqvist, G., T. Nilsson, and M. Katvala. 2005. Mating rate and fitness in female bean weevils. *Behavioral Ecology* 16:123-127. [\[Abstract\]](#)
- Avidov, Z., M. J. Berlinger, and S. W. Applebaum. 1965. Physiological aspects of host specificity in Bruchidae. 3. Effect of curvature and surface area on oviposition of *Callosobruchus chinensis* L. *Animal Behaviour* 13:178-180. [\[Abstract\]](#)
- Bandara, K., and R. C. Saxena. 1995. A technique for handling and sexing *Callosobruchus maculatus* (F) adults (Coleoptera, Bruchidae). *Journal of Stored Products Research* 31:97-100. [\[Abstract\]](#)
- Bawa, S. R., K. C. Kanwar, and R. K. Gupta. 1972. Interspecific hybridization and abnormal strain of *Callosobruchus maculatus* (Coleoptera Bruchidae). *Annals of the Entomological Society of America* 65:1241-1242.
- Bellows, T. S. 1982. Analytical models for laboratory populations of *Callosobruchus chinensis* and *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Journal of Animal Ecology* 51:263-287.
- Bellows, T. S. 1982. Simulation-models for laboratory populations of *Callosobruchus chinensis* and *Callosobruchus maculatus*. *Journal of Animal Ecology* 51:597-623.
- Bellows, T. S., and M. P. Hassell. 1984. Models for interspecific competition in laboratory populations of *Callosobruchus* spp. *Journal of Animal Ecology* 53:831-848.

- Berg, D. J., and R. Mitchell. 1993. Associations of allozyme variation and behavior in the cowpea weevil (*Callosobruchus maculatus*). *Entomologia Experimentalis et Applicata* 69:215-220.
- Bhattacharya, A. K., P. K. Pathak, and S. P. Shah. 1977. Oviposition and development of *Callosobruchus chinensis* Linn (Coleoptera Bruchidae) on several host species. *Bulletin of Grain Technology* 15:38-41.
- Bhattacharya, B., A. Barik, and T. C. Banerjee. 2003. Bioenergetics and water balance in *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae) larval populations. *Oriental Insects* 37:423-437.
- Bieri, J., and T. J. Kawecki. 2003. Genetic architecture of differences between populations of cowpea weevil (*Callosobruchus maculatus*) evolved in the same environment. *Evolution* 57:274-287. [\[Abstract\]](#)
- Boeke, S. J., J. J. A. van Loon, A. van Huis, and M. Dicke. 2004. Host preference of *Callosobruchus maculatus*: A comparison of life history characteristics for three strains of beetles on two varieties of cowpea. *Journal of Applied Entomology* 128:390-396. [\[Abstract\]](#)
- Boughdad, A., Y. Gillon, and C. Gagnepain. 1987. Nutritional-value of leguminosae-seed amino-acids and larval development of *Callosobruchus maculatus*. *Biochemical Systematics and Ecology* 15:427-432. [\[Abstract\]](#)
- Brown, D. V., and P. E. Eady. 2001. Functional incompatibility between the fertilization systems of two allopatric populations of *Callosobruchus maculatus* (Coleoptera: Bruchidae). *Evolution* 55:2257-2262. [\[Abstract\]](#)
- Bull, J. C., and M. B. Bonsall. 2008. Overcompensatory population dynamic responses to environmental stochasticity. *Journal of Animal Ecology* 77:1296-1305. [\[Abstract\]](#)
- Bull, J. C., N. J. Pickup, M. P. Hassell, and M. B. Bonsall. 2006. Habitat shape, metapopulation processes and the dynamics of multispecies predator-prey interactions. *Journal of Animal Ecology* 75:899-907. [\[Abstract\]](#)
- Chandrakantha, J., and S. Mathavan. 1986. Changes in developmental rates and biomass energy in *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae) reared on different foods and temperatures. *Journal of Stored Products Research* 22:71-75. [\[Abstract\]](#)
- Chandrakantha, J., S. Mathavan, and J. Muthukrishnan. 1989. Nitrogen budget of *Callosobruchus maculatus* larva developing in different host seed species. *Proceedings of the Indian Academy of Sciences-Animal Sciences* 98:359-365.

- Chandrakantha, J., J. Muthukrishnan, and S. Mathavan. 1987. Effect of temperature and host seed species on the fecundity of *Callosobruchus maculatus* (F). Proceedings of the Indian Academy of Sciences-Animal Sciences 96:221-227.
- Chaudhuri, B. 2005. Phenotypic variations in a seed-eating beetle: evolutionary significance of wing polymorphism in *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). Oriental Insects 39:359-369.
- Cheng, C. W., and S. B. Horng. 2005. The mechanism and adaptation of egg-dumping behavior of *Callosobruchus maculatus*. Integrative and Comparative Biology 45:1117-1117. [\[Abstract\]](#)
- Cheng, C. W., R. L. Yang, I. C. Cheng, and S. B. Horng. 2008. Egg-dumping: A strategy for host range expansion in *Callosobruchus maculatus* (Coleoptera : Bruchidae). Annals of the Entomological Society of America 101:950-954. [\[Abstract\]](#)
- Chiu, Y. J., and F. J. Messina. 1994. Effect of experience on host preference in *Callosobruchus maculatus* (Coleoptera, Bruchidae) - variability among populations. Journal of Insect Behavior 7:503-515.
- Colegrave, N. 1993. Does larval competition affect fecundity independently of its effect on adult weight. Ecological Entomology 18:275-277.
- Colegrave, N. 1994. Game-theory models of competition in closed systems - asymmetries in fighting and competitive ability. Oikos 71:499-505.
- Colegrave, N. 1995. The cost of exploitation competition in *Callosobruchus* beetles. Functional Ecology 9:191-196.
- Colgoni, A., and S. M. Vamosi. 2006. Sexual dimorphism and allometry in two seed beetles (Coleoptera: Bruchidae). Entomological Science 9:171-179. [\[Abstract\]](#)
- Cope, J. M., and C. W. Fox. 2003. Oviposition decisions in the seed beetle, *Callosobruchus maculatus* (Coleoptera: Bruchidae): Effects of seed size on superparasitism. Journal of Stored Products Research 39:355-365. [\[Abstract\]](#)
- Credland, P. F. 1986. Effect of host availability on reproductive-performance in *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). Journal of Stored Products Research 22:49-54. [\[Abstract\]](#)
- Credland, P. F. 1987. Effects of host change on the fecundity and development of an unusual strain of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). Journal of Stored Products Research 23:91-98. [\[Abstract\]](#)

- Credland, P. F., and K. M. Dick. 1987. Food-consumption by larvae of 3 strains of *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Journal of Stored Products Research* 23:31-40. [\[Abstract\]](#)
- Credland, P. F., K. M. Dick, and A. W. Wright. 1986. Relationships between larval density, adult size and egg-production in the cowpea seed beetle, *Callosobruchus maculatus*. *Ecological Entomology* 11:41-50.
- Credland, P. F., and A. W. Wright. 1989. Factors affecting female fecundity in the cowpea seed beetle, *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Journal of Stored Products Research* 25:125-136. [\[Abstract\]](#)
- Credland, P. F., and A. W. Wright. 1990. Oviposition deterrents of *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Physiological Entomology* 15:285-298.
- Crudgington, H. S., and M. T. Siva-Jothy. 2000. Genital damage, kicking and early death - The battle of the sexes takes a sinister turn in the bean weevil. *Nature* 407:855-856. [\[Abstract\]](#)
- Dabi, R. K., H. C. Gupta, P. Mehrotra, and S. K. Sharma. 1981. Note on the pigeonpea varieties preferred by *Callosobruchus maculatus* Fabricius. *Indian Journal of Agricultural Sciences* 51:532-535.
- Desroches, P., E. El Shazly, N. Mandon, G. Duc, and J. Huignard. 1995. Development of *Callosobruchus chinensis* (L) and *C. maculatus* (F) (Coleoptera, Bruchidae) in seeds of *Vicia faba* L differing in their tannin, vicine and convicine contents. *Journal of Stored Products Research* 31:83-89. [\[Abstract\]](#)
- Dick, K. M., and P. F. Credland. 1984. Egg-production and development of 3 strains of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 20:221-227. [\[Abstract\]](#)
- Dockery, M. 1997. *Callosobruchus maculatus* - a seed beetle with a future in schools. *Journal of Biological Education* 31:263-268.
- Dowling, D. K., K. C. Abiega, and G. Arnqvist. 2007. Temperature-specific outcomes of cytoplasmic-nuclear interactions on egg-to-adult development time in seed beetles. *Evolution* 61:194-201. [\[Abstract\]](#)
- Dowling, D. K., U. Friberg, and G. Arnqvist. 2007. A comparison of nuclear and cytoplasmic genetic effects on sperm competitiveness and female remating in a seed beetle. *Journal of Evolutionary Biology* 20:2113-2125. [\[Abstract\]](#)
- Dowling, D. K., A. L. Nowostawski, and G. Arnqvist. 2007. Effects of cytoplasmic genes on sperm viability and sperm morphology in a seed beetle: implications for sperm competition theory? *Journal of Evolutionary Biology* 20:358-368. [\[Abstract\]](#)

- Eady, P. 1994. Intraspecific variation in sperm precedence in the bruchid beetle *Callosobruchus maculatus*. *Ecological Entomology* 19:11-16.
- Eady, P. 1994. Sperm transfer and storage in relation to sperm competition in *Callosobruchus maculatus*. *Behavioral Ecology and Sociobiology* 35:123-129.
- Eady, P. E. 1991. Sperm competition in *Callosobruchus maculatus* (Coleoptera, Bruchidae) - a comparison of 2 methods used to estimate paternity. *Ecological Entomology* 16:45-53.
- Eady, P. E. 1995. Why do male *Callosobruchus maculatus* beetles inseminate so many sperm? *Behavioral Ecology and Sociobiology* 36:25-32.
- Eady, P. E., and D. V. Brown. 2000. Spermatophore size and mate fecundity in the bruchid beetle *Callosobruchus maculatus*. *Ethology, Ecology & Evolution* 12:203-207.
- Eady, P. E., L. Hamilton, and R. E. Lyons. 2007. Copulation, genital damage and early death in *Callosobruchus maculatus*. *Proceedings of the Royal Society B-Biological Sciences* 274:247-252. [\[Abstract\]](#)
- Eady, P. E., P. Rugman-Jones, and D. V. Brown. 2004. Prior oviposition, female receptivity and last-male sperm precedence in the cosmopolitan pest *Callosobruchus maculatus* (Coleoptera: Bruchidae). *Animal Behaviour* 67:559-565. [\[Abstract\]](#)
- Eady, P., and S. Tubman. 1996. Last-male sperm precedence does not break down when females mate with three males. *Ecological Entomology* 21:303-304.
- Eady, P. E., N. Wilson, and M. Jackson. 2000. Copulating with multiple mates enhances female fecundity but not egg-to-adult survival in the bruchid beetle *Callosobruchus maculatus*. *Evolution* 54:2161-2165. [\[Abstract\]](#)
- Edde, P. A., and C. I. Amatobi. 2003. Seed coat has no value in protecting cowpea seed against attack by *Callosobruchus maculatus* (F.). *Journal of Stored Products Research* 39:1-10. [\[Abstract\]](#)
- Edvardsson, M. 2007. Female *Callosobruchus maculatus* mate when they are thirsty: resource-rich ejaculates as mating effort in a beetle. *Animal Behaviour* 74:183-188. [\[Abstract\]](#)
- Edvardsson, M., and D. Canal. 2006. The effects of copulation duration in the bruchid beetle *Callosobruchus maculatus*. *Behavioral Ecology* 17:430-434. [\[Abstract\]](#)

- Edvardsson, M., R. Rodriguez-Munoz, and T. Tregenza. 2008. No evidence that female bruchid beetles, *Callosobruchus maculatus*, use remating to reduce costs of inbreeding. *Animal Behaviour* 75:1519-1524. [\[Abstract\]](#)
- Edvardsson, M., and T. Tregenza. 2005. Why do male *Callosobruchus maculatus* harm their mates? *Behavioral Ecology* 16:788-793. [\[Abstract\]](#)
- Fox, C. W. 1993. The influence of maternal age and mating frequency on egg size and offspring performance in *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Oecologia* 96:139-146.
- Fox, C. W. 1993. Multiple mating, lifetime fecundity and female mortality of the bruchid beetle, *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Functional Ecology* 7:203-208.
- Fox, C. W. 1993. A quantitative genetic-analysis of oviposition preference and larval performance on 2 hosts in the bruchid beetle, *Callosobruchus maculatus*. *Evolution* 47:166-175.
- Fox, C. W. 1994. The influence of egg size on offspring performance in the seed beetle, *Callosobruchus maculatus*. *Oikos* 71:321-325.
- Fox, C. W. 1994. Maternal and genetic influences on egg size and larval performance in a seed beetle (*Callosobruchus maculatus*) - multigenerational transmission of a maternal effect. *Heredity* 73:509-517.
- Fox, C. W., M. L. Bush, D. A. Roff, and W. G. Wallin. 2004. Evolutionary genetics of lifespan and mortality rates in two populations of the seed beetle, *Callosobruchus maculatus*. *Heredity* 92:170-181. [\[Abstract\]](#)
- Fox, C. W., M. L. Bush, and W. G. Wallin. 2003. Maternal age affects offspring lifespan of the seed beetle, *Callosobruchus maculatus*. *Functional Ecology* 17:811-820. [\[Abstract\]](#)
- Fox, C. W., M. E. Czesak, and W. G. Wallin. 2004. Complex genetic architecture of population differences in adult lifespan of a beetle: Nonadditive inheritance, gender differences, body size and a large maternal effect. *Journal of Evolutionary Biology* 17:1007-1017. [\[Abstract\]](#)
- Fox, C. W., and H. Dingle. 1994. Dietary mediation of maternal age effects on offspring performance in a seed beetle (Coleoptera, Bruchidae). *Functional Ecology* 8:600-606.
- Fox, C. W., L. Dublin, and S. J. Pollitt. 2003. Gender differences in lifespan and mortality rates in two seed beetle species. *Functional Ecology* 17:619-626. [\[Abstract\]](#)

- Fox, C. W., and D. L. Hickman. 1994. Influence of oviposition substrate on female receptivity to multiple mating in *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Annals of the Entomological Society of America* 87:395-398.
- Fox, C. W., D. L. Hickman, E. L. Raleigh, and T. A. Mousseau. 1995. Paternal investment in a seed beetle (Coleoptera, Bruchidae) - influence of male size, age, and mating history. *Annals of the Entomological Society of America* 88:100-103.
- Fox, C. W., L. A. McLennan, and T. A. Mousseau. 1995. Male body-size affects female lifetime reproductive success in a seed beetle. *Animal Behaviour* 50:281-284.
- Fox, C. W., and U. M. Savalli. 1998. Inheritance of environmental variation in body size: Superparasitism of seeds affects progeny and grandprogeny body size via a nongenetic maternal effect. *Evolution* 52:172-182.
- Fox, C. W., K. L. Scheibly, B. P. Smith, and W. G. Wallin. 2007. Inbreeding depression in two seed-feeding beetles, *Callosobruchus maculatus* and *Stator limbatus* (Coleoptera : Chrysomelidae). *Bulletin of Entomological Research* 97:49-54. [\[Abstract\]](#)
- Fox, C. W., K. L. Scheibly, W. G. Wallin, L. J. Hitchcock, R. C. Stillwell, and B. P. Smith. 2006. The genetic architecture of life span and mortality rates: Gender and species differences in inbreeding load of two seed-feeding beetles. *Genetics* 174:763-773. [\[Abstract\]](#)
- Fox, C. W., R. C. Stillwell, A. R. Amarillo, M. E. Czesak, and F. J. Messina. 2004. Genetic architecture of population differences in oviposition behaviour of the seed beetle *Callosobruchus maculatus*. *Journal of Evolutionary Biology* 17:1141-1151. [\[Abstract\]](#)
- Fox, C. W., R. C. Stillwell, W. G. Wallin, and L. J. Hitchcock. 2006. Temperature and host species affect nuptial gift size in a seed-feeding beetle. *Functional Ecology* 20:1003-1011. [\[Abstract\]](#)
- Fox, C. W., and M. Tatar. 1994. Oviposition substrate affects adult mortality, independent of reproduction, in the seed beetle *Callosobruchus maculatus*. *Ecological Entomology* 19:108-110.
- Fricke, C., and G. Arnqvist. 2004. Divergence in replicated phylogenies: The evolution of partial post-mating prezygotic isolation in bean weevils. *Journal of Evolutionary Biology* 17:1345-1354. [\[Abstract\]](#)

- Fricke, C., and G. Arnqvist. 2007. Rapid adaptation to a novel host in a seed beetle (*Callosobruchus maculatus*): The role of sexual selection. *Evolution* 61:440-454. [\[Abstract\]](#)
- Fricke, C., G. Arnqvist, and N. Amaro. 2006. Female modulation of reproductive rate and its role in postmating prezygotic isolation in *Callosobruchus maculatus*. *Functional Ecology* 20:360-368. [\[Abstract\]](#)
- Fricke, C., and A. A. Maklakov. 2007. Male age does not affect female fitness in a polyandrous beetle, *Callosobruchus maculatus*. *Animal Behaviour* 74:541-548. [\[Abstract\]](#)
- Fushing, H., C. R. Hwang, H. C. Lee, Y. C. Lan, and S. B. Horng. 2006. Testing and mapping non-stationarity in animal behavioral processes: A case study on an individual female bean weevil. *Journal of Theoretical Biology* 238:805-816. [\[Abstract\]](#)
- Germain, J. F., J. P. Monge, and J. Huignard. 1987. Development of 2 bruchid populations (*Bruchidius atrolineatus* (Pic) and *Callosobruchus maculatus* (Fab) infesting stored cowpea (*Vigna unguiculata* Walp) pods in Niger. *Journal of Stored Products Research* 23:157-162. [\[Abstract\]](#)
- Gianoli, E., L. H. Suarez, W. L. Gonzales, M. Gonzalez-Teuber, and I. S. Acuna-Rodriguez. 2007. Host-associated variation in sexual size dimorphism and fitness effects of adult feeding in a bruchid beetle. *Entomologia Experimentalis Et Applicata* 122:233-237. [\[Abstract\]](#)
- Giga, D. P., and R. H. Smith. 1981. Varietal resistance and intraspecific competition in the cowpea weevils *Callosobruchus maculatus* and *Callosobruchus chinensis* (Coleoptera, Bruchidae). *Journal of Applied Ecology* 18:755-761.
- Giga, D. P., and R. H. Smith. 1983. Comparative life-history studies of 4 *Callosobruchus* species infesting cowpeas with special reference to *Callosobruchus rhodesianus* (Pic) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 19:189-198. [\[Abstract\]](#)
- Giga, D. P., and R. H. Smith. 1985. Oviposition markers in *Callosobruchus maculatus* F and *Callosobruchus rhodesianus* Pic (Coleoptera, Bruchidae) - asymmetry of interspecific responses. *Agriculture Ecosystems & Environment* 12:229-233. [\[Abstract\]](#)
- Giga, D. P., and R. H. Smith. 1987. Egg-production and development of *Callosobruchus rhodesianus* (Pic) and *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae) on several commodities at 2 different temperatures. *Journal of Stored Products Research* 23:9-15. [\[Abstract\]](#)

- Giga, D. P., and R. H. Smith. 1991. Intraspecific competition in the bean weevils *Callosobruchus maculatus* and *Callosobruchus rhodesianus* (Coleoptera, Bruchidae). *Journal of Applied Ecology* 28:918-929.
- Gill, J., K. C. Kanwar, and S. R. Bawa. 1971. Abnormal sterile strain in *Callosobruchus maculatus* (Coleoptera Bruchidae). *Annals of the Entomological Society of America* 64:1186-1188.
- Guedes, R. N. C., N. M. P. Guedes, and R. H. Smith. 2007. Larval competition within seeds: From the behaviour process to the ecological outcome in the seed beetle *Callosobruchus maculatus*. *Austral Ecology* 32:697-707. [\[Abstract\]](#)
- Guedes, R. N. C., R. H. Smith, and N. M. P. Guedes. 2003. Host suitability, respiration rate and the outcome of larval competition in strains of the cowpea weevil, *Callosobruchus maculatus*. *Physiological Entomology* 28:298-305. [\[Abstract\]](#)
- Guntrip, J., and R. M. Sibly. 1998. Phenotypic plasticity, genotype-by-environment interaction and the analysis of generalism and specialization in *Callosobruchus maculatus*. *Heredity* 81:198-204. [\[Abstract\]](#)
- Guntrip, J., R. M. Sibly, and G. J. Holloway. 1997. The effect of novel environment and sex on the additive genetic variation and covariation in and between emergence body weight and development period in the cowpea weevil, *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Heredity* 78:158-165. [\[Abstract\]](#)
- Gupta, D. P., and N. Bhaduri. 1984. Studies on the oviposition of *Callosobruchus maculatus*. *Current Science* 53:392-393. [\[Abstract\]](#)
- Harano, T., M. Fujisawa, and T. Miyatake. 2006. Effect of oviposition substrate on female remating in *Callosobruchus chinensis* (Coleoptera : Bruchidae). *Applied Entomology and Zoology* 41:569-572. [\[Abstract\]](#)
- Harano, T., and T. Miyatake. 2005. Heritable variation in polyandry in *Callosobruchus chinensis*. *Animal Behaviour* 70:299-304. [\[Abstract\]](#)
- Harano, T., and T. Miyatake. 2007. Interpopulation variation in female remating is attributable to female and male effects in *Callosobruchus chinensis*. *Journal of Ethology* 25:49-55. [\[Abstract\]](#)
- Harano, T., and T. Miyatake. 2007. No genetic correlation between the sexes in mating frequency in the bean beetle, *Callosobruchus chinensis*. *Heredity* 99:295-300. [\[Abstract\]](#)

- Harano, T., Y. Nakamoto, and T. Miyatake. 2008. Sperm precedence in *Callosobruchus chinensis* estimated using the sterile male technique. *Journal of Ethology* 26:201-206. [\[Abstract\]](#)
- Harano, T., Y. Yasui, and T. Miyatake. 2006. Direct effects of polyandry on female fitness in *Callosobruchus chinensis*. *Animal Behaviour* 71:539-548. [\[Abstract\]](#)
- Hassell, M. P., V. A. Taylor, and P. M. Reader. 1989. The dynamics of laboratory populations of *Callosobruchus chinensis* and *Callosobruchus maculatus* (Coleoptera, Bruchidae) in patchy environments. *Researches on Population Ecology* 31:35-51.
- Hornig, S. B. 1994. What is the oviposition decision rule by bean weevil, *Callosobruchus maculatus*? *Zoological Studies* 33:278-286.
- Hornig, S. B. 1997. Larval competition and egg-laying decisions by the bean weevil, *Callosobruchus maculatus*. *Animal Behaviour* 53:1-12. [\[Abstract\]](#)
- Hornig, S. B., H. C. Lin, W. J. Wu, and H. C. J. Godfray. 1999. Behavioral processes and egg-laying decisions of the bean weevil, *Callosobruchus maculatus*. *Researches on Population Ecology* 41:283-290. [\[Abstract\]](#)
- Hozumi, N., and T. Miyatake. 2005. Body-size dependent difference in death-feigning behavior of adult *Callosobruchus chinensis*. *Journal of Insect Behavior* 18:557-566. [\[Abstract\]](#)
- Huang, C. C., R. L. Yang, H. J. Lee, and S. B. Hornig. 2005. Beyond fecundity and longevity: trade-offs between reproduction and survival mediated by behavioural responses of the seed beetle, *Callosobruchus maculatus*. *Physiological Entomology* 30:381-387. [\[Abstract\]](#)
- Huignard, J., J. C. Baehr, P. Desroches, and N. Mandon. 1996. Adaptation of a *Callosobruchus maculatus* strain to *Vicia faba*, as its new host-plant. *Entomologia Experimentalis et Applicata* 80:156-159.
- Huignard, J., B. Leroi, I. Alzouma, and J. F. Germain. 1985. Oviposition and development of *Bruchidius atrolineatus* (Pic) and *Callosobruchus maculatus* (F) (Coleopterae, Bruchidae) in *Vigna unguiculata* (Walp) cultures in Niger. *Insect Science and Its Application* 6:691-699.
- Ishii, Y., and M. Shimada. 2008. Competitive exclusion between contest and scramble strategists in *Callosobruchus* seed-beetle modeling. *Population Ecology* 50:197-205. [\[Abstract\]](#)

- Janardan, K. G. 1980. A stochastic-model for the study of oviposition evolution of the pest *Callosobruchus maculatus* on mung beans, *Phaseolus aureus*. *Mathematical Biosciences* 50:231-238. [\[Abstract\]](#)
- Janzen, D. H. 1977. How southern cowpea weevil larvae (Bruchidae *Callosobruchus maculatus*) die on non-host seeds. *Ecology* 58:921-927.
- Janzen, D. H., H. B. Juster, and E. A. Bell. 1977. Toxicity of secondary compounds to seed-eating larvae of bruchid beetle *Callosobruchus maculatus*. *Phytochemistry* 16:223-227. [\[Abstract\]](#)
- Janzen, D. H., H. B. Juster, and I. E. Liener. 1976. Insecticidal action of the phytohemagglutinin in black beans on a bruchid beetle. *Science* 192:795-796. [\[Abstract\]](#)
- Katvala, M., J. L. Roenn, and G. Arnqvist. 2008. Correlated evolution between male ejaculate allocation and female remating behaviour in seed beetles (Bruchidae). *Journal of Evolutionary Biology* 21:471-479. [\[Abstract\]](#)
- Kawecki, T. J. 1995. Adaptive plasticity of egg size in response to competition in the cowpea weevil, *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Oecologia* 102:81-85.
- Kawecki, T. J. 1995. Expression of genetic and environmental variation for life-history characters on the usual and novel hosts in *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Heredity* 75:70-76.
- Kawecki, T. J. 1997. Habitat quality ranking depends on habitat-independent environmental factors: A model and results from *Callosobruchus maculatus*. *Functional Ecology* 11:247-254. [\[Abstract\]](#)
- Kawecki, T. J., and F. Mery. 2003. Evolutionary conservatism of geographic variation in host preference in *Callosobruchus maculatus*. *Ecological Entomology* 28:449-456. [\[Abstract\]](#)
- Keever, D. W., and L. D. Cline. 1983. Effect of light trap height and light-source on the capture of *Cathartus quadricollis* (Guerin-Meneville) (Coleoptera, Cucujidae) and *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae) in a warehouse. *Journal of Economic Entomology* 76:1080-1082.
- Kondo, N., M. Shimada, and T. Fukatsu. 2005. Infection density of *Wolbachia* endosymbiont affected by co-infection and host genotype. *Biology Letters* 1:488-491. [\[Abstract\]](#)

- Kristoffersen, A. B., O. C. Lingjaerde, N. C. Stenseth, and M. Shimada. 2001. Non-parametric modelling of non-linear density dependence: A three-species host-parasitoid system. *Journal of Animal Ecology* 70:808-819. [\[Abstract\]](#)
- Kuennen, L. P. S., and H. C. Rowe. 2006. Cowpea weevil flights to a point source of female sex pheromone: analyses of flight tracks at three wind speeds. *Physiological Entomology* 31:103-109. [\[Abstract\]](#)
- Kuno, E., Y. Kozai, and K. Kubotsu. 1995. Modelling and analyzing density-dependent population processes: Comparison between wild and laboratory strains of the bean weevil, *Callosobruchus chinensis* (L). *Researches on Population Ecology* 37:165-176.
- Lale, N. E. S., and S. Vidal. 2001. Intraspecific and interspecific competition in *Callosobruchus maculatus* (F.) and *Callosobruchus subinnotatus* (Pic) on stored bambara groundnut, *Vigna subterranea* (L.) Verdcourt. *Journal of Stored Products Research* 37:329-338. [\[Abstract\]](#)
- Lale, N. E. S., and S. Vidal. 2003. Effect of constant temperature and humidity on oviposition and development of *Callosobruchus maculatus* (F.) and *Callosobruchus subinnotatus* (Pic) on bambara groundnut *Vigna subterranea* (L.) Verdcourt. *Journal of Stored Products Research* 39:459-470. [\[Abstract\]](#)
- Lextrait, P., J. C. Biemont, and J. Pouzat. 1994. Comparison of walking locomotory reactions of 2 forms of *Callosobruchus maculatus* males subjected to female sex-pheromone stimulation (Coleoptera, Bruchidae). *Journal of Chemical Ecology* 20:2917-2930.
- Maklakov, A. A., C. Fricke, and G. Arnqvist. 2007. Sexual selection affects lifespan and aging in the seed beetle. *Aging Cell* 6:739-744. [\[Abstract\]](#)
- Mano, H., and Y. Toquenaga. 2008. Wall-making behavior as a proximate mechanism to generate variation in larval competition in *Callosobruchus maculatus* (Coleoptera : Bruchidae). *Evolutionary Ecology* 22:177-191. [\[Abstract\]](#)
- Mano, H., and Y. Toquenaga. 2008. Wall-making behavior in *Callosobruchus maculatus* (Coleoptera : Bruchidae). *Annals of the Entomological Society of America* 101:449-455. [\[Abstract\]](#)
- Mano, H., Y. Toquenaga, and K. Fujii. 2007. Scramble-like contest competition in *Callosobruchus analis* (Coleoptera : Bruchidae). *Journal of Stored Products Research* 43:211-220. [\[Abstract\]](#)
- Mark, G. A. 1981. Anomalous sex-related inheritance of oviposition rate in *Callosobruchus maculatus* Fab (Coleoptera, Bruchidae). *Behavior Genetics* 11:145-151. [\[Abstract\]](#)

- Mark, G. A. 1982. Induced oviposition preference, periodic environments, and demographic cycles in the bruchid beetle *Callosobruchus maculatus*. *Entomologia Experimentalis et Applicata* 32:155-160.
- Mbata, G. N. 1990. Some aspects of the biology of *Callosobruchus subinnotatus* (Pic) (Coleoptera, Bruchidae) a pest of stored bambarra groundnuts. *Insect Science and Its Application* 11:227-234.
- Mbata, G. N. 1992. Interaction between influences of seed types and the oviposition marker on egg distribution by *Callosobruchus maculatus* (Col, Bruchidae). *Journal of Applied Entomology* 113:228-232.
- Mensah, G. W. K. 1986. Infestation potential of *Callosobruchus maculatus* (Fab) (Coleoptera, Bruchidae) on cowpea cultivars stored under subtropical conditions. *Insect Science and Its Application* 7:781-784.
- Messina, F. J. 1984. Influence of cowpea pod maturity on the oviposition choices and larval survival of a bruchid beetle *Callosobruchus maculatus*. *Entomologia Experimentalis et Applicata* 35:241-248.
- Messina, F. J. 1989. Genetic-basis of variable oviposition behavior in *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Annals of the Entomological Society of America* 82:792-796.
- Messina, F. J. 1991. Competitive interactions between larvae from divergent strains of the cowpea weevil (Coleoptera, Bruchidae). *Environmental Entomology* 20:1438-1443.
- Messina, F. J. 1991. Life-history variation in a seed beetle - adult egg-laying vs larval competitive ability. *Oecologia* 85:447-455.
- Messina, F. J. 1993. Heritability and evolvability of fitness components in *Callosobruchus maculatus*. *Heredity* 71:623-629.
- Messina, F. J. 2004. How labile are the egg-laying preferences of seed beetles? *Ecological Entomology* 29:318-326. [\[Abstract\]](#)
- Messina, F. J. 2004. Predictable modification of body size and competitive ability following a host shift by a seed beetle. *Evolution* 58:2788-2797. [\[Abstract\]](#)
- Messina, F. J., J. L. Barmore, and J. A. A. Renwick. 1987. Oviposition deterrent from eggs of *Callosobruchus maculatus* - spacing mechanism or artifact. *Journal of Chemical Ecology* 13:219-226.

- Messina, F. J., A. J. Bloxham, and A. J. Seargent. 2007. Mating compatibility between geographic populations of the seed beetle *Callosobruchus maculatus*. *Journal of Insect Behavior* 20:489-501. [\[Abstract\]](#)
- Messina, F. J., and J. A. Dickinson. 1993. Egg-laying behavior in divergent strains of the cowpea weevil (Coleoptera, Bruchidae) - time budgets and transition matrices. *Annals of the Entomological Society of America* 86:207-214.
- Messina, F. J., and J. D. Fry. 2003. Environment-dependent reversal of a life history trade-off in the seed beetle *Callosobruchus maculatus*. *Journal of Evolutionary Biology* 16:501-509. [\[Abstract\]](#)
- Messina, F. J., S. L. Gardner, and G. E. Morse. 1991. Host discrimination by egg-laying seed beetles - causes of population differences. *Animal Behaviour* 41:773-779.
- Messina, F. J., and M. E. Karren. 2003. Adaptation to a novel host modifies host discrimination by the seed beetle *Callosobruchus maculatus*. *Animal Behaviour* 65:501-507. [\[Abstract\]](#)
- Messina, F. J., J. L. Kemp, and J. A. Dickinson. 1992. Plasticity in the egg-spacing behavior of a seed beetle - effects of host deprivation and seed patchiness (Coleoptera, Bruchidae). *Journal of Insect Behavior* 5:609-621.
- Messina, F. J., and R. Mitchell. 1989. Intraspecific variation in the egg-spacing behavior of the seed beetle *Callosobruchus maculatus*. *Journal of Insect Behavior* 2:727-742.
- Messina, F. J., J. L. Morrey, and M. Mendenhall. 2007. Why do host-deprived seed beetles 'dump' their eggs? *Physiological Entomology* 32:259-267. [\[Abstract\]](#)
- Messina, F. J., and J. A. A. Renwick. 1985. Dispersal polymorphism of *Callosobruchus maculatus* (Coleoptera, Bruchidae) - variation among populations in response to crowding. *Annals of the Entomological Society of America* 78:201-206.
- Messina, F. J., and J. A. A. Renwick. 1985. Mechanism of egg recognition by the cowpea weevil *Callosobruchus maculatus*. *Entomologia Experimentalis et Applicata* 37:241-245.
- Messina, F. J., and A. F. Slade. 1997. Inheritance of host-plant choice in the seed beetle *Callosobruchus maculatus* (Coleoptera: Bruchidae). *Annals of the Entomological Society of America* 90:848-855.
- Messina, F. J., and A. F. Slade. 1999. Expression of a life-history trade-off in a seed beetle depends on environmental context. *Physiological Entomology* 24:358-363. [\[Abstract\]](#)

- Messina, F. J., and T. R. Tinney. 1991. Discrimination between self and non-self eggs by egg-laying seed beetles - a reassessment. *Ecological Entomology* 16:509-512.
- Minkenbergh, O., M. Tatar, and J. A. Rosenheim. 1992. Egg load as a major source of variability in insect foraging and oviposition behavior. *Oikos* 65:134-142.
- Mitchell, R. 1975. Evolution of oviposition tactics in bean weevil, *Callosobruchus maculatus* (F). *Ecology* 56:696-702.
- Mitchell, R. 1991. The traits of a biotype of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae) from south India. *Journal of Stored Products Research* 27:221-224. [\[Abstract\]](#)
- Mitchell, R., and C. Thanthianga. 1990. Are the oviposition traits of the south-India strain of *Callosobruchus maculatus* maintained by natural-selection? *Entomologia Experimentalis et Applicata* 57:143-150.
- Mitsunaga, T., and K. Fujii. 1999. An experimental analysis of the relationship between species combination and community persistence. *Researches on Population Ecology* 41:127-134. [\[Abstract\]](#)
- Miyatake, T., and F. Matsumura. 2004. Intra-specific variation in female remating in *Callosobruchus chinensis* and *C. maculatus*. *Journal of Insect Physiology* 50:403-408. [\[Abstract\]](#)
- Miyatake, T., K. Okada, and T. Harano. 2008. Negative relationship between ambient temperature and death-feigning intensity in adult *Callosobruchus maculatus* and *Callosobruchus chinensis*. *Physiological Entomology* 33:83-88. [\[Abstract\]](#)
- Morrow, E. H., G. Arnqvist, and S. Pitnick. 2003. Adaptation versus pleiotropy: Why do males harm their mates? *Behavioral Ecology* 14:802-806. [\[Abstract\]](#)
- Mummigatti, S. G., and H. E. Krishinaiah. 2007. Technique to isolate *Callosobruchus chinensis* (L.) (Coleoptera : Bruchidae) eggs. *Journal of Stored Products Research* 43:402-403. [\[Abstract\]](#)
- Nagasawa, S., and K. Yamada. 1988. An asymptotic regression curve for describing the emergence pattern of the azuki-bean weevil, *Callosobruchus chinensis* L (Coleoptera, Bruchidae). *Applied Entomology and Zoology* 23:181-185.
- Nikoh, N., K. Tanaka, F. Shibata, N. Kondo, M. Hizume, M. Shimada, and T. Fukatsu. 2008. *Wolbachia* genome integrated in an insect chromosome: Evolution and fate of laterally transferred endosymbiont genes. *Genome Research* 18:272-280. [\[Abstract\]](#)

- Nojima, S., K. Shimomura, H. Honda, I. Yamamoto, and K. Ohsawa. 2007. Contact sex pheromone components of the cowpea weevil, *Callosobruchus maculatus*. *Journal of Chemical Ecology* 33:923-933. [\[Abstract\]](#)
- Nomura, T., and K. Yonezawa. 1990. Genetic correlations among life-history characters of adult females in the azuki-bean weevil, *Callosobruchus chinensis* (L) (Coleoptera, Bruchidae). *Applied Entomology and Zoology* 25:423-430.
- Nwanze, K. F., and E. Horber. 1975. How seed size affects occurrence of active and miniature forms of *Callosobruchus maculatus* in laboratory populations. *Environmental Entomology* 4:729-732.
- Nwanze, K. F., and E. Horber. 1976. Seed coats of cowpeas affect oviposition and larval development of *Callosobruchus maculatus*. *Environmental Entomology* 5:213-218.
- Nwanze, K. F., E. Horber, and C. W. Pitts. 1975. Evidence for ovipositional preference of *Callosobruchus maculatus* for cowpea varieties. *Environmental Entomology* 4:409-412.
- Ofuya, T., and S. Agele. 1989. Ability of ovipositing *Callosobruchus maculatus* females to discriminate between seeds bearing their own eggs and those bearing eggs of other females. *Ecological Entomology* 14:243-246.
- Ofuya, T. I. 1987. *Callosobruchus maculatus* (Fabricius) (Coleoptera, Bruchidae) oviposition behavior on cowpea seeds. *Insect Science and Its Application* 8:77-79.
- Ofuya, T. I. 1989. Effect of larval infestation on the choice of seed for oviposition by *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Insect Science and Its Application* 10:437-440.
- Ofuya, T. I. 1995. Multiple mating and its consequences in males of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 31:71-75. [\[Abstract\]](#)
- Ofuya, T. I., and S. O. Agele. 1989. An examination of the patrol phase of oviposition behavior of *Callosobruchus maculatus* (Fabricius) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 25:101-104. [\[Abstract\]](#)
- Ofuya, T. I., and S. O. Agele. 1990. Ability of ovipositing *Callosobruchus maculatus* (Fabricius) (Coleoptera, Bruchidae) females to discriminate between seeds with differing numbers of emergence holes. *Journal of Stored Products Research* 26:117-120. [\[Abstract\]](#)

- Ofuya, T. I., and C. Reichmuth. 1994. Effect of level of seed infestation on mortality of larvae and pupae of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae) in some controlled atmospheres. *Journal of Stored Products Research* 30:75-78. [\[Abstract\]](#)
- Ohno, T., and T. Miyatake. 2007. Drop or fly? Negative genetic correlation between death-feigning intensity and flying ability as alternative anti-predator strategies. *Proceedings of the Royal Society B-Biological Sciences* 274:555-560. [\[Abstract\]](#)
- Ouedraogo, P. A., J. P. Monge, and J. Huignard. 1991. Importance of temperature and seed water-content on the induction of imaginal polymorphism in *Callosobruchus maculatus*. *Entomologia Experimentalis et Applicata* 59:59-66.
- Ouedraogo, P. A., S. Sou, A. Sanon, J. P. Monge, J. Huignard, B. Tran, and P. F. Credland. 1996. Influence of temperature and humidity on populations of *Callosobruchus maculatus* (Coleoptera: Bruchidae) and its parasitoid *Dinarmus basalis* (Pteromalidae) in two climatic zones of Burkina Faso. *Bulletin of Entomological Research* 86:695-702.
- Parr, M. J., B. M. D. Tran, M. S. J. Simmonds, and P. F. Credland. 1996. Oviposition behaviour of the cowpea seed beetle, *Callosobruchus maculatus*. *Physiological Entomology* 21:107-117.
- Parr, M. J., B. M. D. Tran, M. S. J. Simmonds, and P. F. Credland. 1998. Duration of behaviour patterns during oviposition by the bruchid beetle, *Callosobruchus maculatus*. *Physiological Entomology* 23:150-157. [\[Abstract\]](#)
- Parr, M. J., B. M. D. Tran, M. S. J. Simmonds, G. C. Kite, and P. F. Credland. 1998. Influence of some fatty acids on oviposition by the bruchid beetle, *Callosobruchus maculatus*. *Journal of Chemical Ecology* 24:1577-1593. [\[Abstract\]](#)
- Pauku, S., and J. S. Kotiaho. 2005. Cost of reproduction in *Callosobruchus maculatus*: Effects of mating on male longevity and the effect of male mating status on female longevity. *Journal of Insect Physiology* 51:1220-1226. [\[Abstract\]](#)
- Pauku, S., and J. S. Kotiaho. 2008. Female oviposition decisions and their impact on progeny life-history traits. *Journal of Insect Behavior* 21:505-520. [\[Abstract\]](#)
- Podoler, H., and S. W. Applebaum. 1971. Basic nutritional requirements of larvae of bruchid beetle, *Callosobruchus chinensis* L. *Journal of Stored Products Research* 7:187-193. [\[Abstract\]](#)

- Podoler, H., and S. W. Applebaum. 1971. Host specificity in bruchidae. VII. Effect of carbohydrate composition on varietal resistance of garden peas to *Callosobruchus chinensis* L. *Journal of Stored Products Research* 7:97-102. [\[Abstract\]](#)
- Pushpinder, J. R. 1986. Mating and its attendant behavior in *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 22:77-79. [\[Abstract\]](#)
- Qi, Y. T., and W. E. Burkholder. 1982. Sex-pheromone biology and behavior of the cowpea weevil *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Journal of Chemical Ecology* 8:527-534.
- Rankin, D. J., and G. Arnqvist. 2008. Sexual dimorphism is associated with population fitness in the seed beetle *Callosobruchus maculatus*. *Evolution* 62:622-630. [\[Abstract\]](#)
- Reece, S. E., R. N. Wherry, and J. M. G. Bloor. 2005. Sex allocation and interactions between relatives in the bean beetle, *Callosobruchus maculatus*. *Behavioural Processes* 70:282-288. [\[Abstract\]](#)
- Rezaur, R., D. R. Seal, and M. Ahmed. 1984. Effect of parental age on the life-cycle of *Callosobruchus analis* (Coleoptera) reared at 25-degrees-C, 30-degrees-C and 35-degrees-C. *Acta Entomologica Bohemoslovaca* 81:337-342.
- Rönn, J., M. Katvala, and G. Arnqvist. 2006. The costs of mating and egg production in *Callosobruchus* seed beetles. *Animal Behaviour* 72:335-342. [\[Abstract\]](#)
- Rönn, J. L., M. Katvala, and G. Arnqvist. 2008. Interspecific variation in ejaculate allocation and associated effects on female fitness in seed beetles. *Journal of Evolutionary Biology* 21:461-470. [\[Abstract\]](#)
- Rosenheim, J. A. 1996. An evolutionary argument for egg limitation. *Evolution* 50:2089-2094.
- Rugman-Jones, P. F., and P. E. Eady. 2007. Conspecific sperm precedence in *Callosobruchus subinnotatus* (Coleoptera : Bruchidae): mechanisms and consequences. *Proceedings of the Royal Society B-Biological Sciences* 274:983-988. [\[Abstract\]](#)
- Rugman-Jones, P. F., and P. E. Eady. 2008. Co-evolution of male and female reproductive traits across the Bruchidae (Coleoptera). *Functional Ecology* 22:880-886. [\[Abstract\]](#)

- Sagnia, S. B. 1994. Mortality factors affecting *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae) under field conditions in Niger. *Journal of Stored Products Research* 30:71-74. [\[Abstract\]](#)
- Sakai, A., H. Honda, K. Oshima, and I. Yamamoto. 1986. Oviposition marking pheromone of 2 bean weevils, *Callosobruchus chinensis* and *Callosobruchus maculatus*. *Journal of Pesticide Science* 11:163-168.
- Sakurai, G., and E. Kasuya. 2008. The costs of harassment in the adzuki bean beetle. *Animal Behaviour* 75:1367-1373. [\[Abstract\]](#)
- Sakurai, G., and E. Kasuya. 2008. Different female mating rates in different populations do not reflect the benefits the females gain from polyandry in the adzuki bean beetle. *Journal of Ethology* 26:93-98. [\[Abstract\]](#)
- Sano-Fujii, I. 1979. Effect of parental age and developmental rate on the production of active form of *Callosobruchus maculatus* (F) (Coleoptera Bruchidae). *Mechanisms of Ageing and Development* 10:283-293. [\[Abstract\]](#)
- Sano-Fujii, I. 1984. Effect of bean water-content on the production of the active form of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 20:153-161. [\[Abstract\]](#)
- Sano-Fujii, I. 1986. The genetic-basis of the production of the active form of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 22:115-123. [\[Abstract\]](#)
- Savalli, U. M., M. E. Czesak, and C. W. Fox. 2000. Paternal investment in the seed beetle *Callosobruchus maculatus* (Coleoptera: Bruchidae): Variation among populations. *Annals of the Entomological Society of America* 93:1173-1178. [\[Abstract\]](#)
- Savalli, U. M., and C. W. Fox. 1998. Genetic variation in paternal investment in a seed beetle. *Animal Behaviour* 56:953-961. [\[Abstract\]](#)
- Savalli, U. M., and C. W. Fox. 1999. The effect of male mating history on paternal investment, fecundity and female remating in the seed beetle *Callosobruchus maculatus*. *Functional Ecology* 13:169-177. [\[Abstract\]](#)
- Savalli, U. M., and C. W. Fox. 1999. The effect of male size, age, and mating behavior on sexual selection in the seed beetle *Callosobruchus maculatus*. *Ethology, Ecology & Evolution* 11:49-60.
- Sharma, S. P., I. Jit, and G. Sharma. 1983. Age-related lipid changes in *Callosobruchus maculatus* (Coleoptera) and *Zaprionus paravittiger* (Diptera). *Acta Entomologica Bohemoslovaca* 80:336-340.

- Sharma, S. P., and G. Sharma. 1979. Age-related protein-changes in bruchids *Zabrotes subfasciatus* and *Callosobruchus maculatus*. *Indian Journal of Experimental Biology* 17:1197-1200.
- Shimomura, K., S. Nojima, S. Yajima, and K. Ohsawa. 2008. Homofarnesals: Female sex attractant pheromone components of the southern cowpea weevil, *Callosobruchus chinensis*. *Journal of Chemical Ecology* 34:467-477. [\[Abstract\]](#)
- Shinoda, K., and T. Yoshida. 1984. Relationship between adult feeding and emigration from beans of azuki bean weevil, *Callosobruchus chinensis* Linne (Coleoptera, Bruchidae). *Applied Entomology and Zoology* 19:202-211.
- Shinoda, K., and T. Yoshida. 1985. Field biology of the azuki bean weevil, *Callosobruchus chinensis* (L) (Coleoptera, Bruchidae). 1. Seasonal prevalence and assessment of field infestation of aki-azuki, autumn variety of *Phaseolus angularis* W. *Japanese Journal of Applied Entomology and Zoology* 29:14-20.
- Shinoda, K., T. Yoshida, and H. Igarashi. 1992. Population ecology of the azuki-bean beetle, *Callosobruchus chinensis* (L), (Coleoptera, Bruchidae) on 2 wild leguminous hosts, *Vigna angularis* var *nipponensis* and *Dunbaria villosa*. *Applied Entomology and Zoology* 27:311-318.
- Sibly, R. M., R. H. Smith, and H. Moller. 1991. Evolutionary demography of a bruchid beetle. 4. Genetic trade-off, stabilizing selection and a model of optimal body size. *Functional Ecology* 5:594-601.
- Sing, S. E., and R. T. Arbogast. 2008. Predatory response of *Xylocoris flavipes* to bruchid pests of stored food legumes. *Entomologia Experimentalis Et Applicata* 126:107-114. [\[Abstract\]](#)
- Singh, S., S. C. Odak, and Z. Singh. 1977. Studies on preference of pulse beetle (*Callosobruchus chinensis* Linn) for different hosts. *Bulletin of Grain Technology* 15:20-?.
- Smallegange, I. M., and T. Tregenza. 2008. Local competition between foraging relatives: Growth and survival of bruchid beetle larvae. *Journal of Insect Behavior* 21:375-386. [\[Abstract\]](#)
- Southgate, B. J. 1979. Biology of the Bruchidae. *Annual Review of Entomology* 24:449-473. [\[Abstract\]](#)
- Southgate, B. J. 1984. Observations on the larval emergence in *Callosobruchus chinensis* (Coleoptera, Bruchidae). *Entomologia Generalis* 9:177-180.

- Stillwell, R. C., and C. W. Fox. 2007. Environmental effects on sexual size dimorphism of a seed-feeding beetle. *Oecologia* 153:273-280. [\[Abstract\]](#)
- Stillwell, R. C., W. G. Wallin, L. J. Hitchcock, and C. W. Fox. 2007. Phenotypic plasticity in a complex world: interactive effects of food and temperature on fitness components of a seed beetle. *Oecologia* 153:309-321. [\[Abstract\]](#)
- Takakura, K. 1999. Active female courtship behavior and male nutritional contribution to female fecundity in *Bruchidius dorsalis* (Fahraeus) (Coleoptera: Bruchidae). *Researches on Population Ecology* 41:269-273. [\[Abstract\]](#)
- Takano, M., Y. Toquenaga, and K. Fujii. 2001. Polymorphism of competition type and its genetics in *Callosobruchus maculatus* (Coleoptera: Bruchidae). *Population Ecology* 43:265-273. [\[Abstract\]](#)
- Take, T., H. Tsumuki, K. Shinoda, and T. Yoshida. 1994. Effect of cold-acclimation on cold resistance of azuki-bean beetle *Callosobruchus chinensis* L. *Japanese Journal of Applied Entomology and Zoology* 38:177-182.
- Tanaka, Y. 1990. Age specificity of inbreeding depression during a life-cycle of *Callosobruchus chinensis* (Coleoptera, Bruchidae). *Researches on Population Ecology* 32:329-335.
- Tanaka, Y. 1991. Genetic-variation in age-specific fecundity of the adzuki bean weevil *Callosobruchus chinensis* (Coleoptera, Bruchidae). *Applied Entomology and Zoology* 26:263-265.
- Tanaka, Y. 1991. Individual variation of scent avoiding oviposition behavior in azuki-bean weevil *Callosobruchus chinensis*. *Journal of Ethology* 9:31-33.
- Tanaka, Y. 1993. A genetic mechanism for the evolution of senescence in *Callosobruchus chinensis* (the azuki-bean weevil). *Heredity* 70:318-321.
- Tanaka, Y. 1996. How is life history variation generated from the genetic resource allocation? *Researches on Population Ecology* 38:11-17.
- Tatar, M., and J. R. Carey. 1994. Genetics of mortality in the bean beetle *Callosobruchus maculatus*. *Evolution* 48:1371-1376.
- Tatar, M., and J. R. Carey. 1995. Nutrition mediates reproductive trade-offs with age-specific mortality in the beetle *Callosobruchus maculatus*. *Ecology* 76:2066-2073.
- Tatar, M., J. R. Carey, and J. W. Vaupel. 1993. Long-term cost of reproduction with and without accelerated senescence in *Callosobruchus maculatus* - analysis of age-specific mortality. *Evolution* 47:1302-1312.

- Taylor, T. A. 1974. Observations on effects of initial population-densities in culture, and humidity on production of active females of *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). *Journal of Stored Products Research* 10:113-122. [\[Abstract\]](#)
- Taylor, T. A., and L. A. Agbaje. 1974. Flight activity in normal and active forms of *Callosobruchus maculatus* (F) in a store in Nigeria. *Journal of Stored Products Research* 10:9-16. [\[Abstract\]](#)
- Taylor, T. A., and J. I. S. Aludo. 1974. Further note on incidence of active females of *Callosobruchus maculatus* (F) on mature cowpea in field in Nigeria. *Journal of Stored Products Research* 10:123-125.
- Thanthianga, C., and R. Mitchell. 1987. Vibrations mediate prudent resource exploitation by competing larvae of the bruchid bean weevil *Callosobruchus maculatus*. *Entomologia Experimentalis et Applicata* 44:15-21.
- Thanthianga, C., and R. Mitchell. 1990. The fecundity and oviposition behavior of a south Indian strain of *Callosobruchus maculatus*. *Entomologia Experimentalis et Applicata* 57:133-142.
- Timms, R. 1998. Size-independent effects of larval host on adult fitness in *Callosobruchus maculatus*. *Ecological Entomology* 23:480-483.
- Toquenaga, Y. 1993. Contest and scramble competitions in *Callosobruchus maculatus* (Coleoptera, Bruchidae). II. Larval competition and interference mechanisms. *Researches on Population Ecology* 35:57-68.
- Toquenaga, Y., and K. Fujii. 1990. Contest and scramble competition in 2 bruchid species, *Callosobruchus analis* and *C. phaseoli* (Coleoptera, Bruchidae). I. Larval competition curves and interference mechanisms. *Researches on Population Ecology* 32:349-363.
- Toquenaga, Y., and K. Fujii. 1991. Contest and scramble competitions in 2 bruchid species, *Callosobruchus analis* and *C. phaseoli* (Coleoptera, Bruchidae). III. Multiple-generation competition experiment. *Researches on Population Ecology* 33:187-197.
- Toquenaga, Y., and K. Fujii. 1991. Contest and scramble competitions in *Callosobruchus maculatus* (Coleoptera, Bruchidae). I. Larval competition curves and resource sharing patterns. *Researches on Population Ecology* 33:199-211.
- Tran, B. M. D., and P. F. Credland. 1995. Consequences of inbreeding for the cowpea seed beetle, *Callosobruchus maculatus* (F)(Coleoptera: Bruchidae). *Biological Journal of the Linnean Society* 56:483-503. [\[Abstract\]](#)

- Tricault, Y., J. Huignard, and J. S. Pierre. 1999. Modelling the population dynamics of a stored-product pest: Assessing damages and the potential impact of natural enemies. *Annales de la Societe Entomologique de France* 35:434-439.
- Tseng, H. F., R. L. Yang, C. Lin, and S. B. Horng. 2007. The function of multiple mating in oviposition and egg maturation in the seed beetle *Callosobruchus maculatus*. *Physiological Entomology* 32:150-156. [\[Abstract\]](#)
- Tuda, M. 1993. Density-dependence depends on scale - at larval resource patch and at whole population. *Researches on Population Ecology* 35:261-271.
- Tuda, M. 2007. Applied evolutionary ecology of insects of the subfamily Bruchinae (Coleoptera : Chrysomelidae). *Applied Entomology and Zoology* 42:337-346. [\[Abstract\]](#)
- Tuda, M., and Y. Iwasa. 1998. Evolution of contest competition and its effect on host-parasitoid dynamics. *Evolutionary Ecology* 12:855-870. [\[Abstract\]](#)
- Tuda, M., J. Ronn, S. Buranapanichpan, N. Wasano, and G. Arnqvist. 2006. Evolutionary diversification of the bean beetle genus *Callosobruchus* (Coleoptera : Bruchidae): traits associated with stored-product pest status. *Molecular Ecology* 15:3541-3551. [\[Abstract\]](#)
- Tuda, M., and M. Shimada. 1993. Population-level analysis on reduction in equilibrium population-size of the azuki-bean beetle. *Researches on Population Ecology* 35:231-239.
- Tuda, M., and M. Shimada. 2005. Complexity, evolution, and persistence in host-parasitoid experimental systems with *Callosobruchus* beetles as the host. Pp. 37-75. *Advances In Ecological Research, Vol. 37: Population Dynamics And Laboratory Ecology*.
- Tuda, M., N. Wasano, N. Kondo, S. B. Horng, L. Y. Chou, and Y. Tateishi. 2004. Habitat-related mtDNA polymorphism in the stored-bean pest *Callosobruchus chinensis* (Coleoptera: Bruchidae). *Bulletin of Entomological Research* 94:75-80. [\[Abstract\]](#)
- Utida, S. 1972. Density dependent polymorphism in adult of *Callosobruchus maculatus* (Coleoptera, Bruchidae). *Journal of Stored Products Research* 8:111-126. [\[Abstract\]](#)
- Vamosi, S. M. 2005. Interactive effects of larval host and competition on adult fitness: An experimental test with seed beetles (Coleoptera: Bruchidae). *Functional Ecology* 19:859-864. [\[Abstract\]](#)

- Vamosi, S. M., and T. L. Lesack. 2007. Direct effects of larval competition on development time and fecundity in seed beetles. *Evolutionary Ecology Research* 9:1131-1143.
- Vucetich, J. A., T. A. Waite, L. Qvarnemark, and S. Ibarquen. 2000. Population variability and extinction risk. *Conservation Biology* 14:1704-1714. [\[Abstract\]](#)
- Wang, M. H., and S. B. Horng. 2004. Egg dumping and life history strategy of *Callosobruchus maculatus*. *Physiological Entomology* 29:26-31. [\[Abstract\]](#)
- Wasserman, S. S. 1981. Host-induced oviposition preferences and oviposition markers in the cowpea weevil, *Callosobruchus maculatus* Coleoptera, Bruchidae. *Annals of the Entomological Society of America* 74:242-245.
- Wasserman, S. S. 1985. Oviposition behavior and its disruption in the southern cowpea weevil, *Callosobruchus maculatus* F (Coleoptera, Bruchidae). *Journal of Economic Entomology* 78:89-92.
- Wasserman, S. S. 1986. Genetic-variation in adaptation to foodplants among populations of the southern cowpea weevil, *Callosobruchus maculatus* - evolution of oviposition preference. *Entomologia Experimentalis et Applicata* 42:201-212.
- Wasserman, S. S. 1988. Partial paternal inheritance of realized fecundity in a bruchid beetle, *Callosobruchus maculatus*. *Behavior Genetics* 18:193-200. [\[Abstract\]](#)
- Wasserman, S. S., and T. Asami. 1985. The effect of maternal age upon fitness of progeny in the southern cowpea weevil, *Callosobruchus maculatus*. *Oikos* 45:191-196.
- Wasserman, S. S., and D. J. Futuyma. 1981. Evolution of host plant utilization in laboratory populations of the southern cowpea weevil, *Callosobruchus maculatus* Fabricius (Coleoptera, Bruchidae). *Evolution* 35:605-617.
- Watanabe, N. 1984. Comparative studies on ecology of the adzuki bean weevil, *Callosobruchus chinensis* (L) and the cowpea weevil, *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). 1. Effect of seed size on creeping of females into the pile. *Japanese Journal of Applied Entomology and Zoology* 28:223-228.
- Watanabe, N. 1985. Comparative studies on ecology of the azuki bean weevil, *Callosobruchus chinensis* (L) and the cowpea weevil, *C. maculatus* (F) (Coleoptera, Bruchidae). 2. Relation between female body size and degree of creeping into the stored pile of seeds. *Japanese Journal of Applied Entomology and Zoology* 29:107-112.

- Watanabe, N. 1986. Comparative-studies on ecology of the azuki-bean weevil, *Callosobruchus chinensis* (L) and the cowpea weevil, *Callosobruchus maculatus* (F) (Coleoptera, Bruchidae). 4. Effect of adult body size on easiness of escaping from the bottom of piled seeds. Japanese Journal of Applied Entomology and Zoology 30:64-66.
- Wightman, J. A. 1978. Ecology of *Callosobruchus analis* (Coleoptera Bruchidae) - energetics and energy reserves of adults. Journal of Animal Ecology 47:131-142.
- Wightman, J. A. 1978. Ecology of *Callosobruchus analis* (Coleoptera Bruchidae) - morphometrics and energetics of immature stages. Journal of Animal Ecology 47:117-129.
- Wilson, K. 1988. Egg-laying decisions by the bean weevil *Callosobruchus maculatus*. Ecological Entomology 13:107-118.
- Wilson, K. 1994. Evolution of clutch size in insects. II. A test of static optimality models using the beetle *Callosobruchus maculatus* (Coleoptera, Bruchidae). Journal of Evolutionary Biology 7:365-386. [\[Abstract\]](#)
- Wilson, K., and L. Hill. 1989. Factors affecting egg maturation in the bean weevil *Callosobruchus maculatus*. Physiological Entomology 14:115-126.
- Wilson, N., S. C. Tubman, P. E. Eady, and G. W. Robertson. 1997. Female genotype affects male success in sperm competition. Proceedings of the Royal Society of London Series B-Biological Sciences 264:1491-1495. [\[Abstract\]](#)
- Wilson, N., T. J. Tufton, and P. E. Eady. 1999. The effect of single, double, and triple matings on the lifetime fecundity of *Callosobruchus analis* and *Callosobruchus maculatus* (Coleoptera: Bruchidae). Journal of Insect Behavior 12:295-306. [\[Abstract\]](#)
- Yamane, T., Y. Kimura, M. Katsuhara, and T. Miyatake. 2008. Female mating receptivity inhibited by injection of male-derived extracts in *Callosobruchus chinensis*. Journal of Insect Physiology 54:501-507. [\[Abstract\]](#)
- Yamane, T., and T. Miyatake. 2008. Strategic ejaculation and level of polyandry in *Callosobruchus chinensis* (Coleoptera : Bruchidae). Journal of Ethology 26:225-231. [\[Abstract\]](#)
- Yamane, T., and T. Miyatake. 2005. Intra-specific variation in strategic ejaculation according to level of polyandry in *Callosobruchus chinensis*. Journal of Insect Physiology 51:1240-1243. [\[Abstract\]](#)
- Yanagi, S., and T. Miyatake. 2003. Costs of mating and egg production in female *Callosobruchus chinensis*. Journal of Insect Physiology 49:823-827. [\[Abstract\]](#)

- Yanagi, S. I., T. Oikawa, and T. Miyatake. 2006. Heritability and genetic correlation estimates for egg size and number in *Callosobruchus chinensis* (Coleoptera: Bruchidae). *Annals of the Entomological Society of America* 99:364-368.
- Yang, R. L., H. Fushing, and S. B. Horng. 2005. Evaluating discrimination performances of the seed beetle, *Callosobruchus maculatus* (F.). *Integrative and Comparative Biology* 45:1212-1212. [\[Abstract\]](#)
- Yang, R. L., H. Fushing, and S. B. Horng. 2006. Effects of search experience in a resource-heterogeneous environment on the oviposition decisions of the seed beetle, *Callosobruchus maculatus* (F.). *Ecological Entomology* 31:285-293. [\[Abstract\]](#)
- Zannou, E. T., I. A. Glitho, J. Huignard, and J. P. Monge. 2003. Life history of flight morph females of *Callosobruchus maculatus* F.: Evidence of a reproductive diapause. *Journal of Insect Physiology* 49:575-582. [\[Abstract\]](#)
- Zhu-Salzman, K., H. Koiwa, R. A. Salzman, R. E. Shade, and J. E. Ahn. 2003. Cowpea bruchid *Callosobruchus maculatus* uses a three-component strategy to overcome a plant defensive cysteine protease inhibitor. *Insect Molecular Biology* 12:135-145. [\[Abstract\]](#)